


zeco®

LED Lights



Life Is On

ZECO®
LED Lights



ADDRESS :

Darbar Qadria Street 7,

Hafizabad Road, Gujranwala

Contact : 055-4231830 +92 310 7600903

Web : www.zeco.com.pk

Email : zecolite@gmail.com

M. ASGHAR ELECTRICAL INDUSTRY



TABLE OF CONTENT



1. PRIDE BULB



2. T SERIES BULB



3. 12V DC BULB



4. COB LIGHT



5. EXECUTIVE DL



6. ELEGANT



7. SMART DL



8. HEXA DL



9. BUBBLE DL



10. FRAMELESS



11. ICE LIGHT



12. BATTEN LIGHT



13. Aluminium Rod



14. Open Panel Light



15. Glass Light



16. Backlight



17. Champion FD



18. Industrial Grade FD



19. Zeco Street Light



20. Zeco High Bay (UFO)

CERTIFICATES & APPROVALS

✓ ISO



✓ CERAD



✓ DHA



✓ C&W
PUNJAB



✓ PSQCA



✓ PCSIR



✓ DHA



✓ C&W
KPK



✓ PEC



✓ MES



✓ DHA



✓ UET
TAXILA



✓ UET
LAHORE



✓ NEECA





LED PRIDE BULB

Introducing the LED Pride bulb, a revolutionary lighting solution designed to bring efficiency, sustain ability, and vibrant illumination to your space. With its advanced technology and eco-friendly features, this bulb is a symbol of pride due to performance and environmental impact.

Features

- 3x More Aluminum for heat Dissipation
- Mercury free and don't emit uv
- Better Heat dissipation Design
- Easy to install, Dust Proof
- Long life 30.000Hrs

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Dimension	Rated/Power	Input/Voltage	Lumen/Efficacy	ColorTemp	CRI	PF
PRIDE.	A60*115	7watt	S: 100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
PRIDE.	A65*125	13watt	S: 100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
PRIDE.	A80*150	20watt	S: 100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5





LED BULB (T SERIES)

The T series bulbs combines a distinctive Smooth Shape with a robust design. Energy-efficient and long-lasting, it provides reliable illumination. Its wide beam angle. Easy to install in standard fixtures, it's a stylish choice for any space.

Features

- Smooth Shape for unique aesthetics
- Energy-efficient for cost savings
- Double Heat dissipation Design
- Easy to install, Dust Proof
- Long life and reliable performance

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Dimension	Rated/Power	Input/Voltage	Lumen/Efficacy	Color/Temp	CRI	PF
T Series.	T85*160	25watt	S: 100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
T Series.	T100*165	35watt	S: 100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
T Series.	T135*215	60watt	S: 100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5





LED 12V DC BULB

Introducing the LED Pride bulb, a revolutionary lighting solution designed to bring efficiency, sustainability, and vibrant illumination to your space. With its advanced technology and eco-friendly features, this bulb is a symbol of pride due to performance and environmental impact.

Features

- 3x More Aluminum for heat Dissipation
- Mercury free and don't emit uv
- Better Heat dissipation Design
- Easy to install, Dust Proof
- Long life 30.000Hrs
- Non Polar, No Positive, No Negative $\pm$

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Dimension	Rated/Power	Input/Voltage	Lumen/Efficacy	ColorTemp	CRI	PF
PRIDE.	A65*125	13watt	12V DC	100-110 lm/w	3000K-7000K	> 80	> 0.9





LED COB

Zeco COB is a high-performance lighting solution that combines cutting-edge technology with compact design. With its Chip-on-Board (COB) technology, it provides excellent brightness and energy efficiency. The makes it perfect for a wide range of applications.

Features

- Adjustable angle for Desired Lighting Effect
- Good dissipation Design
- Easy installation in holes
- Prevent Electricity Leakage
- Sleek design complements any space
- Miniature size, efficient COB LED

Application

- Task lighting in kitchens
- Retail shops
- Highlighting Workspace
- Highlighting Display
- General lighting in hallways

Model	Cut Out Size	Rated/Power	Input/Voltage	Lumen/Efficacy	Color/Temp	CRI	PF
COB 3"	50mm	5watt	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
COB 3/4"	75mm	7 watt	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
COB 4"	102mm	12watt	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
COB 6"	152mm	18watt	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5





LED EXECUTIVE DOWNLIGHT

Zeco LED executive downlight with a metal body is easy to install and compatible with different ceiling types, including gypsum, concrete, and false ceilings. Its seamless integration and adjustable design make it suitable for a wide range of applications, from residential homes to commercial spaces.

Features

- ✔ Durable Metal Body
- ✔ Efficient Heat Dissipation
- ✔ Elegant design complements any decor
- ✔ Wide Range of Color Temperatures
- ✔ High-efficiency LED for energy savings
- ✔ Easy installation in standard ceiling

Application

- ✿ Residential Fixtures
- ✿ Dining Spaces
- ✿ Hotels & Restaurants
- ✿ Hospitality and Reception Areas
- ✿ Offices

Model	Cut Out Size	Rated/Power	Input/Voltage	Lumen/Efficacy	Color/Temp	CRI	PF
Executive DL 3/4"	75mm	7watt	S: 100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5
Executive DL 3/4"	75mm	12watt	S: 100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5
Executive DL 4"	102mm	12watt	S: 100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5
Executive DL 6"	152mm	18watt	S: 100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5





LED ELEGANT DOWNLIGHT

The Elegant Downlight with Chrome Ring exudes sophistication. Its high-efficiency LED ensures brilliant illumination. With easy installation and a sleek design, it's a stylish choice for any space. The chrome ring adds a touch of elegance, complementing modern aesthetics.

Features

- Chrome ring adds a touch of sophistication
- Efficient Heat Dissipation
- Efficiency LED for brilliant illumination
- Wide Range of Color Temperatures
- Easy to install, Dust Proof

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Cut Out Size	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
Elegant 3/4"	100mm	7watt	100-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5
Elegant 3/4"	100mm	12watt	100-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5





LED SMART DOWNLIGHT

The Zeco LED smart downlight is a sleek and compact lighting solution that offers efficient illumination. With its slim design, it seamlessly integrates into ceilings, providing a modern and unobtrusive aesthetic. It is energy-efficient, easy to install, and suitable for a variety of residential and commercial applications.

Features

- Slim and Sleek Design
- Efficient Heat Dissipation
- Shock and Vibration Resistant
- Wide Range of Color Temperatures
- Easy to install, Dust Proof

Application

- ✿ Residential Fixtures
- ✿ Supermarkets & malls
- ✿ Hotels & Restaurants
- ✿ Retail shops
- ✿ offices

Model	Cut Out Size	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
SMART DL 3/4"	75-102mm	7watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5





LED HEXA DOWNLIGHT

Zeco LED Hexa downlight is a user-friendly lighting solution that combines simplicity with performance. With its easy-to-install Hexa mechanism, it ensures hassle-free installation. This downlight offers efficient illumination, energy efficiency, and a modern design, making it an excellent choice for both residential and commercial spaces.

Features

- Modern aesthetics enhance any space
- Efficient Heat Dissipation
- Shock and Vibration Resistant
- Wide Range of Color Temperatures
- Quick and easy installation process

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Cut Out Size	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
HEXA DL 3/4"	75mm/100mm	7watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5
HEXA DL 3/4"	75mm/100mm	12watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5





LED BUBBLE DOWNLIGHT

Zeco LED Bubble downlight is a unique lighting solution that adds a touch of elegance to any space. With its bubble-shaped design, it creates a visually captivating effect. This downlight offers efficient illumination, energy efficiency, and easy installation, making it a stylish and functional choice for various applications.

Features

- Unique egg-shaped design
- Diffused light for soft and even
- Shock and Vibration Resistant
- Modern, eye-catching addition
- Easy to install, Dust Proof

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Cut Out Size	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
Bubble DL 3/4"	75mm/192mm	7watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5
Bubble DL 3/4"	75mm/192mm	12watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5





LED FRAMLESS PANEL

The Zeco LED frameless panel is a sleek and modern lighting solution that seamlessly blends into any environment. With its edge-to-edge illumination and slim profile, it provides efficient and uniform lighting. This panel offers energy efficiency, easy installation, and a clean aesthetic, making it ideal for offices, homes, and commercial settings.

Features

- Edge-lit design for even illumination
- Uniform distribution for consistent light
- Wide Range of Color Temperatures
- Easy to install, Dust Proof
- Sleek, frame less appearance adds a contemporary touch.

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Cut Out Size	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
FRAMELESS	Adjustable	18watt	S:100v-265Vac	110-120 lm/w	3000K-7000K	> 80	> 0.5
FRAMELESS	Adjustable	24watt	S:100v-265Vac	110-120 lm/w	3000K-7000K	> 80	> 0.5
FRAMELESS	Adjustable	36watt	S:100v-265Vac	110-120 lm/w	3000K-7000K	> 80	> 0.5





LED ICE LIGHT

Zeco Ice Downlight is a stylish lighting fixture that incorporates a large diffuser for optimal light distribution. It combines a sleek design with a generous-sized diffuser, ensuring a soft and even illumination throughout the room. The downlight's diffuser creates a pleasant, glare-free light that enhances visual comfort.

Features

- Modern Large Diffuser Frame
- Shock and Vibration Resistant
- Wide Range of Color Temperatures
- Easy to install, Dust Proof
- Prevent Electricity Leakage
- Efficient Heat Dissipation

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Cut Out Size	Rated/Power	Input/Voltage	Lumen/Efficacy	Color/Temp	CRI	PF
ICE Light 3/4"	75-100mm	12watt	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5





LED BATTEN LIGHT

The powerful Zeco LED Batten Light, perfect for wall-mounted installations. With a bright Add 20w Also it illuminates any space with efficiency and style. Its sleek design ensures a seamless fit while delivering exceptional performance. Enhance your surroundings with this energy-saving lighting solution.

Features

- Wall-mountable for versatile placement
- 4-foot length provides ample illumination
- Durable construction for long-lasting use
- Energy-efficient for cost savings
- Suitable for various indoor applications
- Efficient Heat Dissipation

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Dimension	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
Batten Light	600*65mm	20watt/2ft	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
Batten Light	1200*65mm	40watt/4ft	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
Batten Light	1200*75mm	60watt/4ft	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5





LED ALUMINIUM ROD

The LED Aluminum Rod, measuring 4 feet, offers a combination of durability and versatility. Its lightweight construction makes it easy to handle, while the corrosion-resistant material ensures long-lasting use. Ideal for various fixtures, it provides a sleek and modern design, making it suitable for a wide range of applications.

Features

- Lightweight and durable aluminum
- 4-foot length for versatile applications
- Durable construction for long-lasting use
- Energy-efficient for cost savings
- Compatible with various fixtures
- Efficient Heat Dissipation

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Dimension(mm)	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
Aluminium Rod	1200*30*26mm	14watt	S:85v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9
Aluminium Rod	1200*30*26mm	18watt	S:85v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9





LED OPEN PANEL LIGHT

The Open Panel light is tailored for open ceilings, delivering uniform and energy-efficient illumination. With its contemporary design and hassle-free installation, it's a versatile lighting choice for diverse indoor settings, seamlessly integrating into modern spaces with ease and style.

Features

- Open ceiling mount for easy integration
- Quick and easy installation process
- Wide Range of Color Temperatures
- Modern design complements any space
- Prevent Electricity Leakage
- Efficient Heat Dissipation

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Retail shops
- offices

Model	Cut Out Size	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
Open Surface	Open	18watt	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5
Open Surface	Open	24watt	S:100v-265Vac	100-110 lm/w	3000K-7000K	> 80	> 0.5





LED GLASS DOWNLIGHT

The LED Glass Downlight with glass ring exudes elegance. Its circular shape and glass finish add a touch of sophistication. Providing efficient, evenly distributed illumination, it's perfect for various indoor settings. Durable and easy to install

Features

- Elegant glass ring design.
- Efficient Heat Dissipation
- Durable and long-lasting build
- Wide Range of Color Temperatures
- Modern and stylish aesthetics

Application

- ✿ Residential Fixtures
- ✿ Supermarkets & malls
- ✿ Hotels & Restaurants
- ✿ Retail shops
- ✿ offices

Model	Cut Out Size	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
Glass Light 3/4"	75mm/102mm	7watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.5





LED BACKLIGHT PANEL

The LED Backlight 2x2 ceiling light is a versatile and energy-efficient lighting solution. Designed for easy installation, it provides even and bright illumination. With a sleek and modern design, it complements any space. Ideal for commercial and residential settings, it offers a cost-effective and long-lasting lighting option.

Features

- Even bright illumination
- Quick and easy installation process
- Wide Range of color Temperatures
- Cost-effective operation
- Ideal for commercial or residential use
- Effective Heat Dissipation
- Isolated Power Supply
- Surge Prototated up to 3.5kv
- Powder Coated Housing to
- Ensure Long Life

Application

- Residential Fixtures
- Supermarkets & malls
- Hotels & Restaurants
- Hospitals
- offices

Model	Dimention	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
Backlight	600x600mm	40watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.9
Backlight	600x600mm	48watt	S:100v-265Vac	90-100 lm/w	3000K-7000K	> 80	> 0.9





LED CHAMPION FLOOD LIGHT

The LED Champion Flood Light is a top-tier outdoor lighting choice. Boasting an IP66 rating, it's highly water-resistant, ensuring reliable performance even in challenging weather conditions. With high lumens and energy efficiency, it's perfect for illuminating large outdoor areas. Durable and long-lasting, it's a champion in outdoor lighting.

Features

- Ip66- Rated for a water resistance
- High Lumens for Powerful illumination
- Durable Build for Long-Lasting use
- Wide beam angle for extensive coverage
- Reliable Performance in all weathers
- Surge Protection up to 4.5kv
- Special Design for outdoor/indoor use
- Isolated Driver Design
- Minimum Electricity lose with High Power Factor

Application

- ✿ Sports Stadiums
- ✿ Parking Lots and Garages
- ✿ Landscapes and Gardens
- ✿ Construction Sites
- ✿ Warehouses and Industrial Yards

Model	IP	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF	Surge Protection
Champion 66	66	30watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.50	
Champion 66	66	50watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv
Champion 66	66	100watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv
Champion 66	66	150watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv
Champion 66	66	200watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv





INDUSTRIAL GRADE FD TEMPERED GLASS

The LED Floodlight combines sturdy Aluminum with durable material, ensuring robust construction. It offers powerful illumination with energy efficiency. Suitable for various outdoor applications, its weather-resistant design ensures reliable performance. Easy installation makes it a practical choice for outdoor lighting needs.

Features

- IP66-rated for water resistance.
- High lumens for powerful illumination
- Durable front for protection
- Wide beam angle for extensive coverage
- Suitable for outdoor environments
- Reliable performance in all weathers
- High Impact resistant Body
- Strong Housing made with Tempered Glass & Die-casted Aluminum
- Surge Protected up to 4.5kv

Application

- Sports Stadiums
- Parking Lots and Garages
- Landscapes and Gardens
- Construction Sites
- Warehouses and Industrial Yards

Model	IP	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF	Surge Protection
Industrial Grade	66	50watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv
Industrial Grade	66	100watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv
Industrial Grade	66	150watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv
Industrial Grade	66	200watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.95	> 4.5kv





LED ZECO STREET LIGHT

The IP66-rated LED Street Light is designed for outdoor durability. It offers reliable, energy-efficient illumination with water-resistant protection. Perfect for streets and highways, it ensures long-lasting performance in various weather conditions, making it an ideal choice for urban and commercial environments.

Features

- High lumens for powerful lighting
- Efficient Heat Dissipation
- Durable and weather-resistant
- Wide coverage for streets
- High-efficiency LED for energy savings
- Long lifespan for reliability
- Compatible with 10kv External surge protection
- Light weight, Slim Design
- Easy to install
- with isolate types power Supply

Application

- Roadways and Highways
- Parking Lots and Garages
- Residential Streets
- Airport and Transportation Areas
- Commercial Complexes and Plazas

Model	IP	Size(mm)	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF	Surge Protection
Street Light	66	333*138*92	30watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9	> 4.5kv
Street Light	66	386*149*92	50watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9	> 4.5kv
Street Light	66	386*149*92	70watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9	> 4.5kv
Street Light	66	480*179*92	100watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9	> 4.5kv
Street Light	66	551*230*92	120watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9	> 4.5kv
Street Light	66	551*230*92	150watt	S:100v-265Vac	100-140 lm/w	3000K-7000K	> 80	> 0.9	> 4.5kv





HIGH BAY (UFO)

Our world-class High Bay range includes models with drivers from MEAN WELL and Samsung - both key players in the LED driver market that boasts exceptional energy-saving features. With up to a staggering 180+ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hour lifespan, High Bays are the strongest and most efficient LED High Bays.

Features

- Compatible with 10kv
- Easy to install
- With Isolate Type Powers Supply
- High impact Resistance body
- Isolated Driver Design
- Minimum Electricity loss with high Power Factor

Application

- Task lighting in kitchens
- Retail shops
- Highlighting Workspace
- Highlighting Display
- General lighting in hallways

Model	RatedPower	InputVoltage	LumenEfficacy	ColorTemp	CRI	PF
High Bay	50watt	S:100v-265Vac	120-140 lm/w	3000K-7000K	> 80	> 0.9
High Bay	60watt	S:100v-265Vac	120-140 lm/w	3000K-7000K	> 80	> 0.9
High Bay	100watt	S:100v-265Vac	120-140 lm/w	3000K-7000K	> 80	> 0.9
High Bay	120watt	S:100v-265Vac	120-140 lm/w	3000K-7000K	> 80	> 0.9
High Bay	150watt	S:100v-265Vac	120-140 lm/w	3000K-7000K	> 80	> 0.9
High Bay	200watt	S:100v-265Vac	120-140 lm/w	3000K-7000K	> 80	> 0.9

